

Commercial Cooking Equipment

"Serving Those Who Serve The Very Best"



Celebrating

Years

PRICE LIST EFFECTIVE APRIL 1, 2021 TO JULY 31, 2021

Prices and specifications subject to change without notice. All orders accepted subject to government regulations and conditions beyond manufacturers control.

Terms: Net 30 Days FOB Factory.

Since 1931

"IN 1931, MY GRANDFATHER, RICHARD KEATING, **WORKED FOR A FRYER MANUFACTURER. IT WAS** THE MIDDLE OF THE GREAT DEPRESSION AND **TIMES WERE TOUGH."**


The company wanted their salesmen to bring each written order back to their office, making it very hard to sell and make any money. My father, Richard T. Keating, II (Dick), had just graduated from Johns Hopkins University with a degree in Mechanical Engineering. It was my grandfather's idea that my father could design a better fryer and he would sell it. So my father stayed in Chicago designing equipment and running the manufacturing end while my grandfather went on the road from Chicago to Baltimore selling Keating equipment.

Our product line began to incorporate more equipment and Keating's presence in the industry was established. Today we are known for high performance, quality and durability in be a family-owned business entering

- Eliza Keating









The products listed below are in stock and ready to ship

FRYERS:	BASKET RACKS:	GRIDDLES:
03635010x11CM NAT GAS	01043418"	03291824x30 FRT TR NAT GAS
03643510x11AA NAT GAS	00391524"	03292136x30 FRT TR NAT GAS
06218310x11TS NAT GAS	00391632"	03408036x36 FRT TR NAT GAS
03289114AA NAT GAS		03336442x24 NAT GAS
03289518AA NAT GAS	FILTERS:	03226942x30 NAT GAS
06086014BB NAT GAS	037233LB165 037260LB200	03396042x30 FRT TR NAT GAS
03847118BB NAT GAS	034321SE14	03292348x30 NAT GAS
06220320BB NAT GAS, 2" DRAIN	034849SE18	03288548x30 FRT TR NAT GAS
06120224BB NAT GAS	054310SE24	03326748x36 FRT TR NAT GAS
03823214TS NAT GAS	036613SE34x24	03292460x30 NAT GAS
06120418TS NAT GAS		03292560x30 FRT TR NAT GAS
06107120TS NAT GAS	KEEP KRISP FOOD WARMERS:	03292672x30 NAT GAS
03847224TS NAT GAS	0018941LX	03292772x30 FRT TR NAT GAS
06121834x24BB NAT GAS	0022112LOR	03343872x36 FRT TR NAT GAS
03672910x11TS 480/3	0019392LB	03218924x30 FRT TR 208-240/3
03656014CM TS 208-240/3	0019824LB	03417027x24 208-240/3
03638114BB 208-240/3	0077372LCF 0077383LCF	03302236x24 208-240/3
03934814TS 208-240/3	0019774L	03218736x30 208-240/3
05290520TS 208-240/3	0020216LB	03310436x30 FRT TR 208-240/3
03695420TS 480/3	002021025	03346436x36 FRT TR 208-240/3
03651524TS 208-240/3	SALTING & BAGGING STATIONS:	03310748x30 208-240/3
	03603336" dump right	03366048x30 FRT TR 208-240/3
PASTA	03603436" dump left	03324348x36 FRT TR 208-240/3
01725114 PASTA NAT GAS		03329260x30 208-240/3
01430018 PASTA NAT GAS	PREP & SERVICE AREA:	03958072x36 FRT TR 208-240/3
01866920 PASTA NAT GAS	03334118"	

NOTE: Non-stock and custom orders will be confirmed with estimated ship date upon receipt of purchase order.

02578624 PASTA NAT GAS 00184614 PASTA 208-240/3

Instant Recovery® is our trademark

The most important feature of any fryer is recovery time, and Keating's INSTANT RECOVERY® trademark means that every Keating fryer recovers its temperature before the end of the cooking cycle. The patented system of high input burners and large heat transfer surfaces assures quality foods every time.



MODEL AA (Gas Only)

- Available in gas only
- On-Off Switch
- Millivolt system
- Stainless Steel thermostat
- No electric connections required (except for batteries with filters)



MODEL BB

- · Power-On Switch
- Power-On Indicating Light
- Built-in Melt Cycle
- Dual contactors (Electric)
- Stainless Steel thermostat
- Spark Ignition (Gas)



MODEL TS

- Power Switch
- Pilot-on Indicating Light (Gas)
- Built-in Melt Cycle
- Ready to Cook light
- Over Max Temp safety light
- Two digital solid state timers
- Dual contactors (Electric)
- Stainless Steel thermostat
- Spark Ignition (Gas)

Use less BTU's

Our atmospheric fryers have been redesigned to use less BTU's and still have the same performance levels. Why did we do this? To save our customers \$\$ in gas consumption.

STANDARD FEATURES:

- · Stainless Steel vessel and cabinet
- Stainless Steel heat transfer tubes or heating elements
- Stainless Steel thermostat
- Spark Ignition (BB and TS Gas Models)
- Extra large Cold Zone
- Stainless Steel High Limit control
- One pair of baskets
- Grid Screen over tubes
- Temperature control system ±2°F
- 3/4" gas connection on single fryers
- Safety pilot shut-off
- Full port front drain valve
- · Drain clean-out rod
- Legs with adjustable feet
- 35" working height on floor models
- · Sample of Keating Klenzer

Save on oil

Keating Instant Recovery® fryers are designed to fry at lower temperatures, between 325°F and 335°F, reducing oil breakdown. They are the only fryers built with a #7 highly polished stainless steel vessel and a true cold zone which captures and holds frying crumbs/debris. These features plus our filtering systems extend the life of your fat up to 30%.

OPTIONS:

- · Fryers batteried at no additional charge
- Common gas manifold for batteries at no additional charge
- Cooking computer
- Basket-Lift on 14 TS thru 24 TS fryers
- Stainless Steel drainboards on fryer batteries (Call for pricing)
- Filter choices: Central, Portable, Safe & Easy® Under Fryer
- 2" extra large drain valve on 18" or larger fryers, single units only (see pages 7 - 9)
- Front extensions to match larger fryers (Call for pricing)
- · Manufactured gas models
- · Polyurethane casters with brakes
- Security package
- 480 voltage available
- Single Phase Models available
- Drain Extension

For kitchens with space limitations, the Keating Instant Recovery® Counter Model is the perfect solution. The counter model has the same energy input and production capacity as its floor model counterparts.

CAPACITIES/PER HOUR

Model 10x11 CM: Model 14 CM:

40 lbs. of frozen french fries 48 lbs. of fresh hand cut

french fries

72 lbs. of frozen french fries

75 lbs. of chicken

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod, 1" x 11-1/2" drain extension and sample of Keating Klenzer



10x11 CMG





GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
10x11 CMG	036350	54,000	036459	50,000	26 lbs.	10 ¾" x 11 ¾"	27 3/8"	25 1/4"	12 3/8"	120 lbs.	\$3,789
14 CMG	032167	87,000	033367	90,000	38 lbs.	14" x 14"	27 3/8"	27 1/2"	15 3/8"	140 lbs.	\$5,590

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL			Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036429 10x11 CMBB 208-240/3	240V 8.9 kW	21-21-21 Amps	30 lbs.	10 ¾" x 11 ¾"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$4,516
036399 10x11 CMBB 480/3	480V 8.9 kW	11-11-11 Amps	30 lbs.	10 ¾" x 11 ¾"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$5,193
036476 10x11 CMTS 208-240/3	240V 13.6 kW	33-33-33 Amps	30 lbs.	10 ¾" x 11 ¾"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$5,560
036405 10x11 CMTS 480/3	480V 13.6 kW	16-16-16 Amps	30 lbs.	10 ¾" x 11 ¾"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$6,394
036390 14 CMBB 208-240/3	240V 15.5 kW	37-37-37 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$6,628
036392 14 CMBB 480/3	480V 15.5 kW	19-19-19 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$7,622
036560 14 CMTS 208-240/3	240V 23.2 kW	56-56-56 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$7,601
036391 14 CMTS 480/3	480V 23.2 kW	28-28-28 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$8,741





*1 phase available at no extra cost - call for amp rating.

OPTIONS:

Computer (CPU), only on CMTS (Electric)	\$1,484
Security Package	\$612

40-44CM ACCESSORIES.


10X11CM ACCESSORIES:
061595 , Basket, 10x11 4M Split
11 1/4" L x 5" W x 4 1/2" D, 4 lbs\$275.00
004392 , Connecting Strip, 10 x 11
(no charge with fryer), 1 lb
004739 , Cover Flush for Fryer, 10 x 11, 3 lbs \$122.00
004622 , Drain Clean-Out Rod, 1 lb
017396 , Flue Deflector, 10x11, 1 lb
004612. Screen, 10x11 Grid, 1 lb

14CM ACCESSORIES:

14CM ACCESSURIES:	
038502, Basket, 14 4M Split (straight handle)	
13 1/4" L x 6 1/2" W x 6" D, 3 lbs	\$120.00
004817, Basket, 14 4M Triple	
13 1/4" L x 4 1/2" W x 5 1/4" D, 2.5 lbs	\$193.25
003880, Connecting Strip, 14 (no charge with fryer), 1 lb	\$50.00
004736, Cover Flush for Fryer, 14, 4 lbs	\$132.00
037570, Cover Flush for Basket-Lift Fryer, 14, 4 lbs	\$132.00
004622, Drain Clean-Out Rod, 1 lb	\$33.00
017397, Flue Deflector, 14, 1 lb	\$70.00
021095, Flue Deflector Basket-Lift, 14, 1 lb	\$70.00
004613 , Screen, 14 Grid, 1 lb	\$54.85
061708, Screen, 14 Grid, S/S Pasta, 1 lb	\$163.00
004654 , Skimmer	\$21.00

Fryers Caster Replacement Battery Splitting

14" MODELS



*BATTERY OF 5

A A *B* A A

CASTER PLACEMENT

CASTER PLACEMENT

A = GAS OR ELECTRIC OR PASTA UNITS

B = CENTRAL FILTERS OR SAFE & EASY® FRYER

OR PASTA RINSE OR PREP

B = CANNOT BE A SAFE & EASY® FRYER

NO CANOPY, SPLASHBACK OR DRAINBOARD MAY BE OVER 126" IN LENGTH

*Separate canopies and splashbacks for each section of the split. (This will ease the assembly and disassembly for both production and the customer's installation.) Separate common gas manifolds for both sections. (This will ease installation.)

This high production fryer has a width of only 12 3/8" ideal for kitchens with space constraints.

CAPACITIES/PER HOUR

40 lbs. of frozen french fries

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer



GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
10x11 AA	036435	54,000	036590	50,000	26 lbs.	10 ¾" x 11 ¾"	46 1/2"	26 1/2"	12 3/8"	125 lbs.	\$3,609
10x11 BB	038675	54,000	036467	50,000	26 lbs.	10 ¾" x 11 ¾"	46 1/2"	26 1/2"	12 3/8"	125 lbs.	\$4,468
10x11 TS	062183	54,000		50,000	26 lbs.	10 ¾" x 11 ¾"	46 1/2"	26 1/2"	12 3/8"	125 lbs.	\$5,223

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL			Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036409 10x11 BB 208-240/3	240V 8.9 kW	21-21-21 Amps	30 lbs.	10 ¾" x 11 ¾"	46"	25 1/4"	12 3/8"	110 lbs.	\$4,516
036612 10x11 BB 480/3	480V 8.9 kW	11-11-11 Amps	30 lbs.	10 ¾" x 11 ¾"	46"	25 1/4"	12 3/8"	110 lbs.	\$5,193
036575 10x11 TS 208-240/3	240V 13.6 kW	33-33-33 Amps	30 lbs.	10 ¾" x 11 ¾"	46"	25 1/4"	12 3/8"	125 lbs.	\$5,560
036729 10x11 TS 480/3	480V 13.6 kW	16-16-16 Amps	30 lbs.	10 ¾" x 11 ¾"	46"	25 1/4"	12 3/8"	125 lbs.	\$6,394

^{*1} phase available at no extra cost - call for amp rating.







OPTIONS:

039542, Casters (set of 4), 4 lbs.\$292.50



Drain Clean-Out Rod 004622

061595, Basket, 10x11 4M Split	
11 1/4" L x 5" W x 4 1/2" D, 4 lbs	\$275.00
004392, Connecting Strip, 10 x 11	
(no charge with fryer), 1 lb.	\$40.00
004739 , Cover Flush for Fryer, 10 x 11, 3 lbs	\$122.00
004622 , Drain Clean-Out Rod, 1 lb	\$33.00
017396, Flue Deflector, 10x11, 1 lb	\$51.50
004612, Screen, 10x11 Grid, 1 lb	\$51.00

Fryers 14" Instant Recovery®

Keating's 14" Instant Recovery® Fryer has a polished stainless steel drawn pot with seamless coved corners and uses 24% less oil while giving the production of a 50 lb. fryer.

CAPACITIES/PER HOUR

48 lbs. of fresh hand cut french fries

72 lbs. of frozen french fries


75 lbs. of chicken

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition is standard on BB & TS Gas Models







Casters Optional

GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
14 AA	032891	87,000	032892	90,000	38 lbs.	14" x 14"	46 1/2"	28 3/4"	15 3/8"	185 lbs.	\$4,860
14 BB	060860	87,000	038650	90,000	38 lbs.	14" x 14"	46 1/2"	28 3/4"	15 3/8"	180 lbs.	\$6,137
14 TS	038232	87,000	033415	90,000	38 lbs.	14" x 14"	46 1/2"	28 3/4"	15 3/8"	190 lbs.	\$7,129

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL		Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036381 14 BB 208-240/3	240V 15.5 kW 37-37-37 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	180 lbs.	\$6,306
036537 14 BB 480/3	480V 15.5 kW 19-19-19 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	180 lbs.	\$7,252
039348 14 TS 208-240/3	240V 23.2 kW 56-56-56 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	190 lbs.	\$7,511
036965 14 TS 480/3	480V 23.2 kW 28-28-28 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	190 lbs.	\$8,638







^{*1} phase available at no extra cost - call for amp rating.

OPTIONS:

Basket-Lift (BL), TS Model	\$2,040
Computer (CPU), TS Model	\$1,484
Drainboard S/S (12"D) 1st fryer	\$685
(On batteries, add \$15.00 for each additional c inch after first fryer)	Irainboard
Flue Riser (17")	\$347.00
Safe & Easy® Ready (SE)**	\$816.00
Security Package	\$612.00
039542 , Casters (set of 4), 4 lbs	\$292.50
**See Safe & Fasy® depths, page 12	

14 Grid Screen 004613



14 4M Split (straight handle)	
2" W x 6" D, 3 lbs	. \$120.00
14 4M Triple	
2" W x 5 1/4" D, 2.5 lbs	. \$193.25
ting Strip, 14 (no charge with fryer), 1 lb	\$50.00
lush for Fryer, 14, 4 lbs	. \$132.00
lush for Basket-Lift Fryer, 14, 4 lbs	. \$132.00
lean-Out Rod, 1 lb	\$33.00
flector, 14, 1 lb	\$70.00
flector Basket-Lift, 14, 1 lb.	
14 Grid, 1 lb	\$54.85
14 Grid, S/S Pasta, 1 lb	
r	
	-

Keating's Instant Recovery® trademark means that every Keating fryer recovers its temperature before the end of the cooking cycle. The patented system of high input burners and heat transfer surfaces provides constant, accurate temperatures in the cooking zone, to assure quality foods every time.

CAPACITIES/PER HOUR

120 lbs. of frozen french fries 150 lbs. of chicken

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition is standard on BB & TS Gas Models



CPU Computer Option available on TS Models



GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
18 AA	032895	134,000	033194	132,000	68 lbs.	18" x 18"	46 1/2"	32 1/2"	19 3/8"	250 lbs.	\$6,551
18 BB	038471	134,000	038552	132,000	68 lbs.	18" x 18"	46 1/2"	32 1/2"	19 3/8"	250 lbs.	\$7,717
18 TS	061204	134,000		132,000	68 lbs.	18" x 18"	46 1/2"	32 1/2"	19 3/8"	260 lbs.	\$8,200

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL		Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036411 18 BB 208-240/3	240V 21.4 kW 52-52-52 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	250 lbs.	\$8,416
036417 18 BB 480/3	480V 21.4 kW 26-26-26 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	250 lbs.	\$9,678
036276 18 TS 208-240/3	240V 28.6 kW 79-79-52 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	260 lbs.	\$9,715
036608 18 TS 480/3	480V 28.6 kW 39-39-26 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	260 lbs.	\$11,172







*1 phase available at no extra cost - call for amp rating.

OPTIONS:

Basket-Lift (BL), TS Model	\$2,040
Computer (CPU), TS Model	\$1,484
Drainboard S/S (12"D) 1st fryer	\$685
(On batteries, add \$15.00 for each additional drainboinch after first fryer)	ard
Drain Valve 2" Extra Large	\$636.00
Flue Riser (17")	\$356.00
Safe & Easy® Ready (SE)**	\$951.00
Security Package	\$612.00
039542 , Casters (set of 4), 4 lbs	\$292.50

^{**}See Safe & Easy® depths, page 12.

ACCESSORIES.	
019781, Basket, 18 4M Split (front and rear handles)	
16 7/8" L x 8 1/2" W x 5 7/8" D, 4.5 lbs	. \$329.50
016282, Basket, 18 4M Triple (2 hooks, front & rear handles)	
17" L x 5 1/2" W x 5 1/2" D, 4 lbs	. \$231.00
003877, Connecting Strip, 18 (no charge with fryer), 1 lb	\$56.00
004735 , Cover Flush for Fryer, 18, 4.5 lbs	. \$204.00
004622, Drain Clean-Out Rod, 1 lb.	\$33.00
017398 , Flue Deflector, 18, 1 lb	\$79.00
004614 , Screen, 18 Grid, 2 lbs	\$58.50
061709 , Screen, 18 Grid, S/S Pasta, 2 lbs	. \$165.90

Fryers 20" Instant Recovery®

Keating's Instant Recovery®, high efficiency fryers are designed to fry at a lower temperature, between 325°F and 335°F, reducing oil breakdown.

CAPACITIES/PER HOUR

140 lbs. of frozen french fries 200 lbs. of chicken

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition is standard on BB & TS Gas Models







Casters Optional

GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
20 AA	032169	134,000	038451	132,000	100 lbs.	20" x 20"	46 1/2"	34 1/2"	21 3/8"	250 lbs.	\$8,533
20 BB	061072	134,000		132,000	100 lbs.	20" x 20"	46 1/2"	34 1/2"	21 3/8"	250 lbs.	\$8,878
20 TS	061071	134,000		132,000	100 lbs.	20" x 20"	46 1/2"	34 1/2"	21 3/8"	260 lbs.	\$9,473

ELECTRIC MODELS

For Kw rating @ 208V, multiply by .752

MODEL			Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036389 20 BB 208-240/3	240V 21.4 kW	52-52-52 Amps	110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	250 lbs.	\$9,750
038327 20 BB 480/3	480V 21.4 kW	26-26-26 Amps	110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	250 lbs.	\$11,212
052905 20 TS 208-240/3	240V 28.6 kW	79-79-52 Amps	110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	260 lbs.	\$10,411
036954 20 TS 480/3	480V 28.6 kW	39-39-26 Amps	110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	260 lbs.	\$11,973

^{*1} phase available at no extra cost - call for amp rating.







OPTIONS:

Basket-Lift (BL), TS Model	\$2,040
Computer (CPU), TS Model	\$1,484
Drainboard S/S (12"D) 1st fryer	. \$685.00
(On batteries, add \$15.00 for each additional drainboa inch after first fryer)	ard
Drain Valve 2" Extra Large	. \$636.00
Safe & Easy® Ready (SE)**	. \$951.00
Security Package	. \$612.00
039542 , Casters (set of 4), 4 lbs	
**See Safe & Easy® depths, page 12.	

019782, Basket, 20 4M Split (front and rear handles)	
19" L x 9 1/2" W x 5 1/2" D, 5.5 lbs	\$271.50
003955, Connecting Strip, 20 (no charge with fryer), 1 lb	\$59.00
004737, Cover Flush for Fryer, 20, 5.5 lbs	\$222.50
004622 , Drain Clean-Out Rod, 1 lb	\$33.00
017399 , Flue Deflector, 20, 1 lb	\$85.00
004615, Screen, 20 Grid, 3 lbs	\$100.00
004626 , Screen, 20 Mesh, 3 lbs	\$120.00
034785, Screen, 20 Grid, S/S Pasta, 3 lbs	\$162.49

24" Instant Recovery® Fryers

Instant Recovery® fryers are the only fryers built with a #7 highly polished stainless steel vessel and a true cold zone which captures and holds frying crumbs and debris.

CAPACITIES/PER HOUR

200 lbs. of frozen french fries

250 lbs. of chicken

STANDARD ACCESSORIES

One pair 24 split baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer



GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
24 BB	061202	167,500	038582	165,000	130 lbs.	24" x 24"	46 1/2"	38 1/2"	25 3/8"	375 lbs.	\$9,850
24 TS	038472	167,500	038554	165,000	130 lbs.	24" x 24"	46 1/2"	38 1/2"	25 3/8"	380 lbs.	\$10,441

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL			Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036364 24 BB 208-240/3	240V 28.6 kW	79-79-52 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	325 lbs.	\$10,872
038398 24 BB 480/3	480V 28.6 kW	39-39-26 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	325 lbs.	\$12,503
036515 24 TS 208-240/3	240V 35.7 kW	79-103-79 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	330 lbs.	\$11,708
036770 24 TS 480/3	480V 35.7 kW	39-52-39 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	330 lbs.	\$13,464

^{*1} phase available at no extra cost - call for amp rating.







OPTIONS:

Basket-Lift (BL), TS Model	\$2,040
Computer (CPU), TS Model	\$1,484
Drainboard S/S (12"D) 1st fryer	\$685
(On batteries, add \$15.00 for each additional drainboa inch after first fryer)	rd
Drain Valve 2" Extra Large	. \$636.00
Safe & Easy® Ready (SE)**	. \$951.00
Security Package	. \$612.00
039542 , Casters (set of 4), 4 lbs	. \$292.50
**See Safe & Easy® depths, page 12.	

062354 Basket, 24 Split (expanded metal, side handles)	
22 5/16" L x 10 5/16" W x 6 5/8" D, 5.3 lbs	\$457.65
003976, Connecting Strip, 24 (no charge with fryer), 1 lb	\$73.00
004738 , Cover Flush for Fryer, 24, 6.1 lbs	\$299.00
004622 , Drain Clean-Out Rod, 1 lb	\$33.00
017400 , Flue Deflector, 24, 1 lb	\$102.00
004617 , Screen, 24 Grid, 4 lbs	\$91.50
004623 , Screen, 24 Mesh, 4 lbs	\$74.99

Fryers 34" x 24" Instant Recovery®

Our largest capacity fryer, with enough space to cook 4 whole turkeys at the same time.

CAPACITIES/PER HOUR

270 lbs. of frozen french fries 300 lbs. of chicken

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer



GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
34x24 BB	061218	201,000	038581	198,000	195 lbs.	34" x 24"	46 1/2"	38 1/2"	35 3/8"	460 lbs.	\$13,087
34x24 TS	060896	201,000	060893	198,000	195 lbs.	34" x 24"	46 1/2"	38 1/2"	35 3/8"	512 lbs.	\$13,685

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL		Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
038248 34x24 BB 208-240/3	240V 35.7 kW 79-103-79 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	420 lbs.	\$13,454
036532 34x24 BB 480/3	480V 35.7 kW 39-52-39 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	420 lbs.	\$15,472
036738 34x24 TS 208-240/3	240V 42.8 kW 103-103-103 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	425 lbs.	\$14,139
34x24 TS 480/3	480V 42.8 kW 52-52-52 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	425 lbs.	\$16,260







^{*1} phase available at no extra cost - call for amp rating.

OPTIONS:

Computer (CPU), TS Model\$1,4	84
Safe & Easy® Ready (SE)**\$951	.00
Security Package\$612	.00
039542, Casters (set of 4), 4 lbs\$292	.50

^{**}See Safe & Easy® depths, page 12.



062356, Basket, 34x24 Split (expanded metal)	
22 1/4" L x 16 1/4" W x 6 5/16" D, 10 lbs	\$413.00
003976, Connecting Strip, 34x24 (no charge with fryer), 1 lb.	\$73.00
001232 , Cover Flush for Fryer, 34x24, 20 lbs	\$444.00
004622 , Drain Clean-Out Rod, 1 lb	\$33.00
017401 , Flue Deflector, 34x24, 1 lb	\$108.50
004639, Screen, 34x24 Grid, 10 lbs	\$229.49

Prep & Service Area

STANDARD FEATURES

- Stainless steel sides & back
- *With Bagging Station top

MODEL	PART NO.	Overall Height	Working Height	Depth	Width	Ship Weight	LIST PRICE
10x11	005129	46 1/2"	35"	25 1/4"	12 3/8"	75 lbs.	\$2,000
14	052735	46 1/2"	35"	27 1/2"	15 3/8"	115 lbs.	\$2,045
18	033341	46 1/2"	35"	31 1/4"	19 3/8"	135 lbs.	\$2,161
20	039373	46 1/2"	35"	33 1/4"	21 3/8"	150 lbs.	\$2,225
24	005173	46 1/2"	35"	37 1/4"	25 1/2"	200 lbs.	\$2,595

14 Prep with Bagging Station top shown batteried with two 14AA Instant Recovery® Fryers



OPTIONS:

*Flat Top (available on request)	NO CHARGE
007737, Keep Krisp® 2LCF (for 10x11, 14, 18 Models) .	\$427
007738 , Keep Krisp [®] 3LCF (for 20, 24 Models)	\$620
039542 , Casters (set of 4), 4 lbs	\$292.50

Salting & Bagging Station

STANDARD FEATURES

· Stainless steel sides, shelves & back

MODEL	PART NO.	Dump Side	No. of Lights	Overall Height	Working Height	Depth	Width	Ship Weight	LIST PRICE
30 Bagging Station	036032	Dump Left	4	66"	35"	31 1/4"	30"	330 lbs.	\$10,200
30 Bagging Station	036031	Dump Right	4	66"	35"	31 1/4"	30"	330 lbs.	\$10,200
36 Bagging Station	036034	Dump Left	6	66"	35"	31 1/4"	36"	360 lbs.	\$11,780
36 Bagging Station	036033	Dump Right	6	66"	35"	31 1/4"	36"	360 lbs.	\$11,780

NOTE: Specify left or right dump on order (facing equipment).



OPTIONS:

Flat Top	NO CHARGE
039542, Casters (set of 4), 4 lbs.	\$292.50



Casters Optional

Portable Basket Rack


STANDARD FEATURES

- All stainless steel construction
- · Price includes casters

PART NO.	*Holds Amount of Baskets	Overall Height	Depth	Width	Ship Weight	LIST PRICE
010434	18	63 1/4"	25 1/4"	15 1/2"	155 lbs.	\$3,315
003915	24	57 1/4"	27 1/2"	22 1/4"	180 lbs.	\$3,668
003916	32	57 1/4"	27 1/2"	29 1/2"	220 lbs	\$5,235

^{*}Amount based on 14" Split Baskets - Baskets not included

NOTE: Baskets Not Included



Fryers Filter Systems



Casters on Fryer Optional

STANDARD FEATURES

- · Available for all Keating floor model fryers - gas or electric
- · Same height and depth as adjoining fryers
- Stainless steel perforated recessed bagging station above filter or flat top
- Stainless Steel Cabinet
- Stainless Steel filter drawer and strainer basket
- · Filters up to 6 fryers of same capacity with filter centrally located
- · Hose with wand for discarding oil
- Motor 1/3 HP with capacitor start
- No Charge for piping 1 fryer in battery

OPTIONS

- · Return line heaters for solid shortening
- Polyurethane casters with brakes
- Keep Krisp[®] food warmer
- Extra Stainless Steel Strainer Baskets

Safe & Easy® Central Filter Systems

Filters up to 6 fryers of the same capacity with filter centrally located. For use with liquid shortening only.

MODEL	Oil Capacity (Liquid Only)	Voltage	НР	AMPS	Height	Depth	Width	Ship Weight	LIST PRICE
SE14CF	50 lbs.	120	1/3	5.6	46"	31 1/4"	15 3/8"	170 lbs.*	\$7,200
SE18CF	90 lbs.	120	1/3	5.6	46"	35 1/4"	19 3/8"	190 lbs.*	\$8,194
SE20CF	120 lbs.	120	1/3	5.6	46"	37 1/4"	21 3/8"	210 lbs.*	\$8,246
SE24CF	160 lbs.	120	1/3	5.6	46"	41 1/4"	25 3/8"	230 lbs.*	\$8,565
SE34x24CF	210 lbs.	120	1/3	6	46"	41 1/4"	35 3/8"	250 lbs.*	\$9,383

^{*}Shipped in Battery





SAFE & EASY® CENTRAL FILTER OPTIONS:

Each additional tryer to be filtered:	
SE14CF	\$770
SE18CF, SE20CF, SE24CF, SE34x24CF	\$897
Heat Tape (for solid shortening), per unit	\$250
007737, Keep Krisp® 2LCF (for SE14CF, SE18CF models).	\$427
007738, Keep Krisp® 3LCF	
(for SE20CF, SE24CF, SE34x24CF models)	\$620
039542, Casters (set of 4), 4 lbs	\$292.50



Safe & Easy® Under Fryer Filter

Keating's space-saving Safe & Easy® filter gives you all the advantages of a central filter with the convenience of a portable. No extra storage area is needed since it fits completely under a Safe & Easy® fryer of the same size.

MODEL	PART NO.	Oil Capacity (Liquid Only)	Voltage	НР	AMPS	Height	Depth	Width	Ship Weight	LIST PRICE
WIODEL	PART NO.	(Liquid Only)	voitage	пг	AIVIFO	пеідііі	Берш	vviutii	weignt	FRICE
SE14	034321	50 lbs.	120	1/3	6	17 7/8"	29 7/8"	12 7/8"	130 lbs.	\$7,200
SE18	034849	90 lbs.	120	1/3	6	15 3/8"	34 5/8"	17"	155 lbs.	\$8,194
SE20	034819	120 lbs.	120	1/3	6	15 3/8"	36 5/8"	19"	160 lbs.	\$8,246
SE24	054310	160 lbs.	120	1/3	6	15 3/8"	40 5/8"	23"	175 lbs.	\$8,565
SE34x24	036613	210 lbs.	120	1/3	6	15 1/2"	40 5/8"	32 1/4"	200 lbs.	\$9,383





SAFE & EASY® UNDER FRYER FILTER OPTIONS:

Each additional fryer to be filtered:

SE14\$7	70
SE18, SE20, SE24, SE34x24\$8	97

Portable Filter

STANDARD FEATURES

- · Stainless Steel cabinet and vessel
- · Seamless drawn stainless steel vessel on LB units
- Built-in Melt Cycle
- · Heavy duty handle
- 5 ft. hose with swivel handle and stiffener spring
- · Removable 6 ft. cord with plug on LB units
- · Polyurethane casters
- Strainer Basket S/S
- · Filter cover on LB units

OPTIONS

- Two way pump on LB units
- Extra Baskets (Stainless Steel)
- Filter cover PC 14



		Oil				Overall	Tub			Ship	LIST
MODEL	PART NO.	Capacity	Voltage	HP	AMPS 1Ø	Height	Height	Depth	Width	Weight	PRICE
LB165	037233	165 lbs.	120	1/3	9.6	22 3/8"	12 5/8"	37 3/8"	28 3/8"	220 lbs.	\$5,286
LB200	037260	200 lbs.	120	1/3	9.6	22 5/8"	14 1/8"	39 3/8"	30 3/8"	275 lbs.	\$5,539





PORTABLE FILTER OPTIONS:

Two Way Pump (Fryers without drain) LB165, LB200\$250





STANDARD ACCESSORIES - All Filters

All Keating filters are shipped with one package of 60 filter papers and one carton of 60 individual packages of Acidox Filtering Compound - equivalent to a 30 day supply.

FILTER ACCESSORIES:

037524, ACIDOX Powder (filter aid) **FILTER PAPER** SE 14, CF 14, UFF 14 SE 18, CF 18, UFF 18, SE 20, CF 20, UFF 20, PC 14 SE 24, CF 24, UFF 24, LB165 & LB200 SE 34x24, CF 34x24, UFF 34x24 LB100 058783, Pkg of 60,14" Round with tabs (thick paper), 4 lbs. ...\$77.50 **EXTRA S/S STRAINER BASKETS** SE20 **\$257.50** SE24 **\$262.00**

Heavy duty steel construction with chrome plated finish - more durable than aluminum shades.



1 LX One hanging light.

(NSF)



2 LOR Two lights or three lights, open ended bracket with pan and screen.



2 LOWS Two lights or three lights, open ended bracket, swivel wall mount.

		No. of	Heated	
* = Can Ship UPS	♦ = ETL Certified	O Description of Particular Description	■ = NSF Listed	NSF

MODEL	PART NO.	No. of Lights	Heated Area	Length	Width	Height	Ship Weight	LIST PRICE
1LX 120V* □	001894	1	12" x 12"	6 1/2"	6 1/2"	10"	4 lbs.	\$157
2LOR 120V* ◆ □	002211	2	12" x 20"	22 1/2"	14"	18 1/2" - 26"	23 lbs.	\$523
2LOX 120V* ◆	001915	2	12" x 20"	22 1/2"	14"	18 1/2" - 26"	14 lbs.	\$472
2LOWS 120V* □	001925	2	12" x 20"	18"	6 1/2"	18"	9 lbs.	\$443
2LB 120V* □	001939	2	12" x 20"	19"	6 1/2"	9 1/2"	8 lbs.	\$330
2LCF 120V* □	007737	2	12" x 20"	19"	6 1/2"	23" - 28"	10 lbs.	\$453
3L SLICER LIGHT* ◆ □	008311	3	18" x 26"	26"	24"	28" - 49 1/2"	18 lbs.	\$1,180
3LOR 120V* ◆ □	001949	3	18" x 26"	27 1/2"	20"	18 1/2" - 26"	25 lbs.	\$674
3L 120V* ◆ □	001960	3	18" x 26"	29"	14"	18 1/2" - 26"	23 lbs.	\$672
3LB 120V* □	001966	3	18" x 26"	27"	6 1/2"	9 1/2"	11 lbs.	\$472
3LCF 120V* □	007738	3	18" x 26"	25"	6 1/2"	23" - 28"	13 lbs.	\$620
3LOWS* □	001957	3	18" x 26"	24"	6 1/2"	19"	9 lbs.	\$616
4∟ ♦ □	001977	4	12" x 37"	43"	14"	18 1/2" - 26"	28 lbs.	\$769
4LB □	001982	4	12" x 37"	36"	6 1/2"	9 1/2"	13 lbs.	\$650
6LB □	002021	6	12" x 50"	54"	6 1/2"	9 1/2"	18 lbs.	\$933
6LR2 120V ◆ □	002032	6	22" x 45"	45"	19 1/4"	18 1/2" - 26"	36 lbs.	\$1,223
6LR2 220V ◆ □	002031	6	22" x 45"	45"	19 1/4"	18 1/2" - 26"	36 lbs.	\$1,223
8LR2 → □	002052	8	22" x 59"	59"	19 1/4"	18 1/2" - 26"	50 lbs.	\$1,375
10LR2 220V ◆ □	002055	10	22" x 73"	73"	19 1/4"	18 1/2" - 26"	100 lbs.	\$1,718
12LR2 220V ◆ □	002061	12	22" x 88"	88"	19 1/4"	18 1/2" - 26"	80 lbs.	\$2,050
14LR2 220V ◆ □	002066	14	22" x 101"	101"	19 1/4"	18 1/2" - 26"	95 lbs.	\$2,392

LEGEND: B = Bar mounted

O = Open ended bracket

R = Round, closed bracket (not shown)

S = Swivel

W = Wall mounted

X = Without Pan and Screen

Over 100 Models are available. Call 1-800-KEATING for information on models not shown. Custom units are available.



2 LCF Two lights, mounted on equipment. Also available with three bulbs.



3 LB Three lights, bar mounted. Also available with 2, 4, 6 or 8 bulbs.



6 LR2 Six lights, mounted on closed circular structure. Also available with 4, 8, 10, 12 and 14 bulbs.

KEEP KRISP® BULBS. PANS AND SCREENS

000408 , Bulb, 120V 250 Watt - White, 1 lb	\$19.98
000409 , Bulb, 120V 250 Watt - Red, 1 lb	
000411, Bulb, 120V High Input 375 Watt - Red, 1 lb.	
(Cannot be used with Bulb Protector)	\$57.86
000418 , Bulb Protector, 1 lb	\$17.20
000444 , Pan 12" x 20" x 2", Aluminum, 2 lbs	\$57.31
000449 , Pan 18" x 26", Aluminum, 8 lbs	\$55.25
000447 , Screen Perforated, 12" x 20" S/S, 2 lbs	\$78.29









Keating Klenzer & Sea Powder

Keating Klenzer

The finest dry stainless steel polish gives dingy, dull stainless steel a dazzling new luster! Keating Klenzer is the only cleaner that lasts longer, cleans better and leaves no sticky residue, unlike other liquid products.

Stainless steel owes its sheen to fine light-reflecting scratches. When these become filled with grease, soap, dust or other particles, stainless steel loses its natural sparkle. Keating Klenzer reaches deep into these fine grooves and lifts out dulling dirt, restoring the original sparkling gleaming finish.

Sea Powder

Cleans deep fryers when used with boiling water and softens carbonized grease for easy removal. If used weekly, your Keating fryer will be in perfect condition for years. Daily cleaning is even better. No caustic ingredients. Excellent for cleaning greasy floors, exhaust hoods and walls.





KEATING KLENZER

038261, Keating Klenzer

SEA POWDER

SEA I STIDER	
Sea Powder, Case of 4, 8 lb. jars, 34 lbs. per case	
000394 (1-5 cases)\$1	86.25
000395 (6+ cases)\$1	58.95

DESIGN YOUR OWN CUSTOM WORKSTATION

Custom workstation shown with a 14 TS Counter Model Instant Recovery® Fryer, 48" Miraclean® Griddle and a MG2 Hotplate on a stand with casters.



DESIGN YOUR COMBINATION WITHOUT WORRYING ABOUT FIT

Ideal for the single operator or satellite locations, the Keating Custom Line Up is a complete cooking station on one stand. Each station is designed to be versatile and efficient to allow you to prepare a full menu of items in one centralized location. Everything from Miraclean® Griddles and Custom Pasta Systems to Bain Maries and cutting boards are available. And because you can choose the combination needed you won't have to worry about fit and finishes of different brands. Some popular Keating Custom Line Ups include: Bain Maries, Hot Plates, Custom Pasta™ Systems, Counter Model Instant Recovery® Fryer, Miraclean® Griddles and Top-Side™ Cookers.

Let Keating Help You Choose the Right Equipment for Your Needs



With so many sizes and options available, Keating can help you choose the right equipment for your needs, or we can customize your Miraclean Griddle® or Instant Recovery® Fryer system.

Two 14 TS Fryers each with the Basket-Lift option, optional casters and a Safe & Easy® Under Fryer Filter.

MIRACLEAN[®]

The Miraclean® Griddle is the world's new standard. It is the most versatile cool (no radiant heat) and easy-to-clean griddle ever made. It combines the Miraclean® patented plate finish with fast cooking, less food shrinkage (superior heat transfer) and cleaning ease. Savings of energy, cooking time, clean up labor and clean up time are yours with this trivalent chrome plated griddle.

Trivalent Chromium surface - foods cook faster at a lower temperature

- #1 In Customer Satisfaction
- Reduces energy use by up to 32%
- Cooler Kitchen
- · Easy Clean Up

- No Flavor Transfer
- Over 300 Model Variations
- Foods Cook Faster with Less Shrinkage



STANDARD FEATURES

- · Easy clean up
- Miraclean® surface reduces heat loss, assures even heat distribution throughout cooking area
- Trivalent chromium surface on high carbon 3/4" steel plate
- 208-240V three phase input on electric griddles
- 100% safety pilot shut-off
- Stainless Steel cabinet
- 2" front trough, 3" left side trough
- Stainless Steel grease drawer with handle
- 4 1/2" high back splash

OPTIONS

- Additional thermostats for gas models
- · High input electric elements
- 480 voltage on electric models
- Trough options: 3" right side with 2" front
- Cutting board options:
 Richlite, Stainless Steel
- · Plate shelf
- · Belly bar
- Drop-in Griddles
- Streaker Griddles Groove is 5/16" wide, 1 or 2 streaks per inch
- · Security package
- Adjustable Stainless Steel Legs
- · Stainless Steel stand with shelf and casters
- Top-Side™ Cooker attachment (auto & manual)
- Available in 24", 30" and 36" depth sizes





STANDARD ACCESSORIES

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenzer

NOTE:

Keating can customize any size not shown if previously manufactured. Please call **1-800-KEATING** for quotes. Please have serial # of existing unit.

002416, Connecting Strip	
30" deep griddle (no charge with griddle)	\$72.50
005247, Connecting Strip	
36" deep griddle (no charge with griddle)	\$72.50
009334 , Cutting Board Hinge (set of 2)	\$240.00
004894, Palmetto Brush	\$31.00
004889 , Scraper (Heavy Duty)	\$28.15
SCRAPER BLADES (10 per package)*	
004900 , 1-9 packages, 1 lb	\$33.00
004898 , 10-24 packages, 1 lb	\$27.90
004899 , 25-49 packages, 1 lb	\$26.20
004891, Hamburger Spatula, 4" wide, 2 lbs	\$51.59
018716, Egg Turner Spatula, 3" wide, 2 lbs	\$49.00
018912, Streaker Scraper for streaks 1 per inch, 1 lb	\$58.55
018913, Streaker Scraper for streaks 2 per inch, 1 lb	\$58.55
038522, Top-Side™ Cooking Sheets (12 per pkg.)	

^{*1} box = 10 tubes of blades.



The Miraclean® Griddle is the world's new standard. It is the most versatile cool (no radiant heat) and easy-to-clean griddle ever made. It combines the Miraclean® patented plate finish with fast cooking, less food shrinkage (superior heat transfer) and cleaning ease. Savings of energy, cooking time, clean up labor and clean up time are yours with this trivalent chrome plated griddle.



FT = Front Trough	24x30FT	27x24	27x24FT	27x30	27x30FT	30x30	30x30FT	36x24	36x30	36x30FT	36x36FT	42x24
LIST PRICE	\$8,217	\$7,735	\$8,509	\$7,976	\$8,773	\$9,108	\$10,017	\$10,274	\$10,664	\$11,697	\$14,622	\$11,250
BTU INPUT (NAT GAS)	032918 60,000	033356 60,000	033120 60,000	032279 60,000	033093 60,000	032919 60,000	032920 60,000	033139 60,000	032188 60,000	032921 90,000	034080 109,500	033364 90,000
BTU INPUT (LP GAS)	035281 60,000	035991 60,000	039552 60,000	033406 60,000	033667 60,000	039394 60,000	034048 60,000	033412 60,000	033138 60,000	034057 90,000	036757 109,500	039316 90,000
PLATE WxD	24"x24"	24"x18"	27"x18"	24"x24"	27"x24"	27"x24"	30"x24"	33"x18"	33"x24"	36"x24"	36"x30"	39"x18"
OVERALL WIDTH	24 1/2"	27 1/2"	27 1/2"	27 1/2"	27 1/2"	30 1/2"	30 1/2"	36 1/2"	36 1/2"	36 1/2"	36 1/2"	42 1/2"
OVERALL DEPTH	30 5/8"	24 5/8"	24 5/8"	30 5/8"	30 5/8"	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	24 5/8"
BELLY BAR	\$275	\$275	\$275	\$275	\$275	\$357	\$357	\$360	\$360	\$360	\$360	\$437
CUTTING BOARDS (8" deep) Richlite	\$527 014901	\$527 010432	\$527 010432	\$527 010432	\$527 010432	\$636 014287	\$636 014287	\$674 008035	\$674 008035	\$674 008035	\$674 008035	\$833 015066
Stainless Steel 14 gauge	\$553 031116	\$553 010255	\$553 010255	\$553 010255	\$553 010255	\$ 695 009237	\$ 695 009237	\$703 001263	\$703 001263	\$703 001263	\$703 001263	\$889 009238
EXTENDED FLUE (Up To 12" H)	\$553	\$553	\$553	\$553	\$553	\$695	\$695	\$703	\$703	\$703	\$703	\$889
LEGS 4" S/S (set of 4)	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482
PLATE SHELF (8" deep) Stainless Steel 14 ga. (with outrigger legs)	\$553 031100	\$553 017199	\$553 017199	\$553 017199	\$553 017199	\$695 013311	\$695 013311	\$703 008193	\$703 008193	\$703 008193	\$703 008193	\$889 009239
SECURITY PACKAGE	\$612	\$612	\$612	\$612	\$612	\$771 036973	\$771 036973	\$779 034285	\$779 034285	\$779 034285	\$779 034285	\$973 036209
STAND WITH CASTERS Stainless Steel w/shelf	\$1,552 032544	\$1,552 050613	\$1,552 050613	\$1,552 050598	\$1,552 050598	\$1,635 050599	\$1,635 050599	\$1,725 050616	\$1,725 032545	\$1,725 032545	\$1,725 050643	\$1,795 050617
THERMOSTAT KNOB GUARD	\$275 051265	\$275 051266	\$275 051266	\$275 051266	\$275 051266	\$357 051267	\$357 051267	\$360 051269	\$360 051269	\$360 051269	\$360 051269	\$437 051270
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00
BURNERS	2	2	2	2	2	2	2	2	2	3	3	3
THERMOSTATS Additional thermostats - \$768.50 ea	2 ach	2	2	2	2	2	2	2	2	2	2	2
SHIP WEIGHT	265 lbs.	255 lbs.	255 lbs.	285 lbs.	285 lbs.	310 lbs.	380 lbs.	290 lbs.	340 lbs.	420 lbs.	455 lbs.	425 lbs.









Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenzer Gas Connection, bottom\$250.00



Belly Bar option- Stainless Steel



Cutting Boards - 8" deep in Richlite or 14 gauge Stainless Steel options



Plate Shelf option - Shown with Richlite Cutting Board

FT = Front Trough	42x30	42x30FT	48x24	48x30	48x30FT	48x36FT	60x30	60x30FT	60x36FT	72x30	72x30FT	72x36FT
LIST PRICE	\$11,598	\$12,757	\$12,328	\$12,710	\$13,980	\$17,475	\$14,962	\$16,459	\$20,574	\$18,247	\$20,071	\$25,120
BTU INPUT (NAT GAS)	032269 90,000	033960 90,000	033131 120,000	032923 120,000	032885 120,000	033267 146,000	032924 150,000	032925 150,000	033269 182,500	032926 180,000	032927 180,000	033438 219,000
BTU INPUT (LP GAS)	034082 90,000	039508 90,000	036318 120,000	033407 120,000	034038 120,000	033966 146,000	033048 150,000	034040 150,000	036351 182,500	033320 180,000	032976 180,000	033439 219,000
PLATE WxD	39"x24"	42"x24"	45"x18"	45"x24"	48"x24"	48"x30"	57"x24"	60"x24"	60"x30"	69"x24"	72"x24"	72"x30"
OVERALL WIDTH	42 1/2"	42 1/2"	48 1/2"	48 1/2"	48 1/2"	48 1/2"	60 1/2"	60 1/2"	60 1/2"	72 1/2"	72 1/2"	72 1/2"
OVERALL DEPTH	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"
BELLY BAR	\$437	\$437	\$460	\$460	\$460	\$460	\$543	\$543	\$543	\$613	\$613	\$613
CUTTING BOARDS (8" deep) Richlite	\$833 015066	\$833 015066	\$865 007772	\$865 007772	\$865 007772	\$865 007772	\$1040 015074	\$1040 015074	\$1040 015074	\$1160 014866	\$1160 014866	\$1160 014866
Stainless Steel 14 gauge	\$889 009238	\$889 009238	\$920 007693	\$920 007693	\$920 007693	\$920 007693	\$1096 007837	\$1096 007837	\$1096 007837	\$1,226 007692	\$1,226 007692	\$1,226 007692
EXTENDED FLUE (Up To 12" H)	\$889	\$889	\$920	\$920	\$920	\$920	\$1096	\$1096	\$1096	\$1,226	\$1,226	\$1,226
LEGS 4" S/S (set of 4)	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482
PLATE SHELF (8" deep) Stainless Steel 14 ga. (with outrigger legs)	\$889 009239	\$889 009239	\$920 002704	\$920 002704	\$920 002704	\$920 002704	\$1096 001223	\$1096 001223	\$1096 001223	\$1,226 007233	\$1,226 007233	\$1,226 007233
SECURITY PACKAGE	\$973 036209	\$973 036209	\$1018 032768	\$1018 032768	\$1018 032768	\$1018 032768	\$1,208 034570	\$1,208 034570	\$1,208 034570	\$1,356 032766	\$1,356 032766	\$1,356 032766
STAND WITH CASTERS Stainless Steel w/shelf	\$1,795 050601	\$1,795 050601	\$1,954 050618	\$1,954 050602	\$1,954 050602	\$1,954 050645	\$2,357 050603	\$2,357 050603	\$2,357 050646	\$2,642 050604	\$2,642 050604	\$2,642 050647
THERMOSTAT KNOB GUARD	\$437 051270	\$437 051270	\$460 051271	\$460 051271	\$460 051271	\$460 051271	\$543 051272	\$543 051272	\$543 051272	\$613 051273	\$613 051273	\$613 051273
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00
BURNERS	3	3	4	4	4	4	5	5	5	6	6	6
THERMOSTATS Additional thermostats - \$768.50 ea	2 ach	2	2	2	2	2	3	3	3	3	3	3
SHIP WEIGHT	455 lbs.	455 lbs.	405 lbs.	485 lbs.	525 lbs.	600 lbs.	610 lbs.	720 lbs.	760 lbs.	730 lbs.	760 lbs.	845 lbs.







STANDARD ACCESSORIES

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenzer Gas Connection, bottom\$250.00

The Miraclean® Griddle is the world's new standard. It is the most versatile cool (no radiant heat) and easy-to-clean griddle ever made. It combines the Miraclean® patented plate finish with fast cooking, less food shrinkage (superior heat transfer) and cleaning ease. Savings of energy, cooking time, clean up labor and clean up time are yours with this trivalent chrome plated griddle.



with option	onal stand	
casters.		
202057	2724	2/

FT = Front Trough	24x30FT	27x24	27x24FT	27x30	27x30FT	30x30	30x30FT	36x24	36x30	36x30FT	36x36FT	42x24
LIST PRICE	\$8,217	\$7,735	\$8,509	\$7,976	\$8,773	\$9,108	\$10,017	\$10,274	\$10,664	\$11,697	\$14,622	\$11,250
kW INPUT @240V	7.1	5.5	5.5	7.1	7.1	7.1	7.1	8.2	10.7	10.7	13.4	10.9
208-240/1 AMPS @240V	036256 30	036069	23	034097 30	30	033411 30	039385 30	034101 34	039398 45	039555 45	56	46
208-240/3 AMPS @240V	032189 15-26-15	034170 11-20-11	036594 11-20-11	034123 15-26-15	036061 15-26-15	033399 15-26-15	035234 15-26-15	033022 20-20-20	032187 26-26-26	033104 26-26-26	033464 32-32-32	034063 30-30-20
VOLTAGE 480	038523 \$9,450	035989 \$8,8 9 5	\$9,785	033242 \$9 ,173	\$10,089	034203 \$10,474	036115 \$11,520	039372 \$11,815	033423 \$12,264	039334 \$13,452	036336 \$16,815	\$12,938
HIGH INPUT Call for kW/Amp rating \$130 per heating element	036188 \$8,477	\$7,995	\$8,769	036715 \$8,239	\$9,033	036200 \$9,368	\$10,277	\$10,664	\$11,054	033037 \$12,087	N/A	\$11,770
PLATE WxD	24"x24"	24"x18"	27"x24"	24"x24"	27"x24"	27"x24"	30"x24"	33"x18"	33"x24"	36"x24"	36"x30"	39"x18"
OVERALL WIDTH	24 1/2"	27 1/2"	27 1/2"	27 1/2"	27 1/2"	30 1/2"	30 1/2"	36 1/2"	36 1/2"	36 1/2"	36 1/2"	42 1/2"
OVERALL DEPTH	30 5/8"	24 5/8"	24 5/8"	30 5/8"	30 5/8"	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	24 5/8"
BELLY BAR	\$275	\$275	\$275	\$275	\$275	\$357	\$357	\$360	\$360	\$360	\$360	\$437
CUTTING BOARDS (8" deep)												
Richlite	\$527 014901	\$527 010432	\$527 010432	\$527 010432	\$527 010432	\$636 014287	\$636 014287	\$674 008035	\$674 008035	\$674 008035	\$674 008035	\$833 015066
Stainless Steel 14 ga.	\$553 031116	\$553 010255	\$553 010255	\$553 010255	\$553 010255	\$695 009237	\$695 009237	\$703 001263	\$703 001263	\$703 001263	\$703 001263	\$889 009238
EXTENDED FLUE (Up To 12" H)	\$553	\$553	\$553	\$553	\$553	\$695	\$695	\$703	\$703	\$703	\$703	\$889
LEGS 4" S/S (set of 4)	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482
PLATE SHELF (8" deep) Stainless Steel 14 ga. (with outrigger legs)	\$553 031100	\$553 017199	\$553 017199	\$553 017199	\$553 017199	\$695 013311	\$ 695 013311	\$703 008193	\$703 008193	\$703 008193	\$703 008193	\$889 009239
SECURITY PACKAGE	\$612 036208	\$612	\$612	\$612	\$612	\$771 051633	\$771 051633	\$779 035284	\$779 035284	\$779 035284	\$779 035284	\$973 059754
STAND WITH CASTERS Stainless Steel w/shelf	\$1,552 032544	\$1,552 050613	\$1,552 050613	\$1,552 050598	\$1,552 050598	\$1,635 050599	\$1,635 050599	\$1,725 050616	\$1,725 032545	\$1,725 032545	\$1,725 050643	\$1,795 050617
THERMOSTAT KNOB GUARD) \$275 051265	\$275 051266	\$275 051266	\$275 051266	\$275 051266	\$357 051267	\$357 051267	\$360 051269	\$360 051269	\$360 051269	\$360 051269	\$437 051270
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00
THERMOSTATS	2	2	2	2	2	2	2	3	3	3	3	4
SHIP WEIGHT	255 lbs.	255 lbs.	255 lbs.	255 lbs.	285 lbs.	310 lbs.	310 lbs.	310 lbs.	350 lbs.	350 lbs.	455 lbs.	455 lbs.







STANDARD ACCESSORIES

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenzer

Electric Griddles



Security Package option



Stand - Stainless Steel with shelf and casters options



Thermostat Knob Guard option

				and cast	options	•						
FT = Front Trough	42x30	42x30FT	48x24	48x30	48x30FT	48x36FT	60x30	60x30FT	For kW ra 60x36FT	ating @ 20 72x30	8V, multiply 72x30FT	, ,
LIST PRICE	\$11,598	\$12,757	\$12,328	\$12,710	\$13,980	\$17,475	\$14,962	\$16,459	\$20,574	\$18,247	\$20,071	\$25,120
kW INPUT @240V	14.3	14.3	10.9	14.3	14.3	17.9	17.9	17.9	22.3	21.4	21.4	26.8
208-240/1 AMPS @240V	038296 60	039414 60	036498 46	033368 60	033352 60	036497 75	034138 75	034211 75	93	036773 89	89	112
208-240/3 AMPS @240V	034027 39-39-26	033395 39-39-26	034081 30-30-20	033107 39-39-26	033660 39-39-26	033243 49-49-32	033292 40-52-40	034244 40-52-40	036268 49-64-49	033106 52-52-52	034010 52-52-52	039580 65-65-65
VOLTAGE 480	033450 \$13,338	036137 \$14,670	039524 \$14,177	035981 \$14,617	033431 \$16,077	036672 \$20,096	033370 \$17,206	036176 \$18,928	033459 \$23,660	036153 \$20,984	038417 \$23,082	036050 \$28,888
HIGH INPUT Call for kW/Amp rating \$130 per heating element	\$12,118	\$13,277	033467 \$12,848	033369 \$13,134	\$14,500	N/A	036187 \$15,612	036529 \$17,109	N/A	033962 \$19,027	036535 \$20,851	N/A
PLATE WxD	39"x24"	42"x24"	45"x18"	45"x24"	48"x24"	48"x30"	57"x24"	60"x24"	60"x30"	69"x24"	72"x24"	72"x30"
OVERALL WIDTH	42 1/2"	42 1/2"	48 1/2"	48 1/2"	48 1/2"	48 1/2"	60 1/2"	60 1/2"	60 1/2"	72 1/2"	72 1/2"	72 1/2"
OVERALL DEPTH	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"
BELLY BAR	\$437	\$437	\$460	\$460	\$460	\$460	\$543	\$543	\$543	\$613	\$613	\$578
CUTTING BOARDS (8" deep) Richlite Stainless Steel 14 ga.	\$833 015066 \$889	\$833 015066 \$889	\$865 007772 \$920	\$865 007772 \$920	\$865 007772 \$920	\$865 007772 \$920	\$1040 015074 \$1096	\$1040 015074 \$1096	\$1040 015074 \$1096	\$1160 014866 \$1160	\$1160 014866 \$1160	\$1160 014866 \$1160
EXTENDED FLUE (Up To 12" H)	\$889	\$889	\$920	9920	\$920	\$920	\$1096	\$1096	\$1096	\$1226	\$1226	\$1226
LEGS 4" S/S (set of 4)	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482
PLATE SHELF (8" deep) Stainless Steel 14 ga. (with outrigger legs)	\$889 009239	\$889 009239	\$920 002704	\$ 920 002704	\$920 002704	\$920 002704	\$1096 001223	\$1096 001223	\$1096 001223	\$1226 007233	\$1226 007233	\$1226 007233
SECURITY PACKAGE	\$973 059754	\$973 059754	\$1018 035283	\$1018 035283	\$1018 035283	\$1018 035283	\$1208 035300	\$1208 035300	\$1208 035300	\$1,356 032984	\$1,356 032984	\$1,356 032984
STAND WITH CASTERS Stainless Steel w/shelf	\$1,795 050601	\$1,795 050601	\$1,954 050618	\$1,954 050602	\$1,954 050602	\$1,954 050645	\$2,357 050603	\$2,357 050603	\$2,357 050646	\$2,642 050604	\$2,642 050604	\$2,642 050647
THERMOSTAT KNOB GUARD	\$437 051270	\$437 051270	\$460 051271	\$460 051271	\$460 051271	\$460 051271	\$543 051272	\$543 051272	\$543 051272	\$613 051273	\$613 051273	\$613 051273
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00






THERMOSTATS

SHIP WEIGHT





4

485 lbs.

4

485 lbs.

4

485 lbs.

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenzer

4

485 lbs.

4

600 lbs.

5

610 lbs.

5

610 lbs.

5

650 lbs.

6

730 lbs.

6

760 lbs.

6

845 lbs.

4

455 lbs.

Top-Side™ Cooker

 Factory installed onto 30" deep griddles with 24" deep plate only

Surface area is 10 1/2" x 20", large enough to cook 8 guarter pound hamburgers. Micro Leveler manual height adjustment up to 1-1/2" above griddle plate. Manual lift is standard and Auto Lift option is available.

STANDARD FEATURES

- Trivalent chromium surface on high carbon 3/8" steel plate
- · Stainless Steel finish
- · Remote control box for each head
- · Micro Leveler full head adjustment

OPTIONS

- Manual Lift Heads
- Auto Lift Heads
- · Streaked surface
- Extra Cooking Sheets



Cook both sides of an item simultaneously - the Top-Side™ Cooker will cut your cooking time by up to 60%.

Keating's Top-Side™ Cooker is designed to provide the best in speed and consistency that two-sided cooking offers. Ideal for high volume or limited kitchen space operations that require large quantities of food products to be cooked fast without sacrificing product quality, perfect for quick service restaurants and in fast-casual environments.

A free standing remote control box is included for each Top-Side™ Cooker Head. Easy to use, it includes an On/Off switch, "Element On" indicating light and an adjusting knob to select the desired temperature.







Auto Lift Option



Remote Control Box

For kW rating @ 208V, multiply by .752

Description	PART NO.	kW 240V	AMPS 240V	Width	Depth	Thermostats	Ship Weight	LIST PRICE
Top-Side Cooking Head 208-240/1	033638	4.8	20	10 1/2"	20"	1	50 lbs.	\$6,670
Top-Side Cooking Head Auto Lift	033958	4.8	20	10 1/2"	20"	1	70 lbs.	\$8,692
Top-Side Mounting Assembly 24	033676			25"	34 5/8"		70 lbs.	\$1,935
Top-Side Mounting Assembly 27	033677			28"	34 5/8"		70 lbs.	\$1,935
Top-Side Mounting Assembly 30	033678			31"	34 5/8"		70 lbs.	\$1,935
Top-Side Mounting Assembly 36	033679			37"	34 5/8"		70 lbs.	\$1,935
Top-Side Mounting Assembly 42	033680			43"	34 5/8"		90 lbs.	\$2,358
Top-Side Mounting Assembly 48	033681			49"	34 5/8"		90 lbs.	\$2,358
Top-Side Mounting Assembly 60	033682			61"	34 5/8"		110 lbs.	\$2,913
Top-Side Mounting Assembly 72	033557			73"	34 5/8"		120 lbs.	\$2,913

Each Auto Lift Top-Side™ Cooking Head requires a separate 120V power supply.





Top-Side™ Cooker(s) requires Mounting Assembly which will add depth to rear of griddle. Auto Lift Top-Side™ will add 6" depth to griddle and Manual Lift will add 4-3/4". Top-Side™ Cooker is usually positioned over element/thermostat of griddle. Depending on location, additional thermostats may be required on gas griddles. Call 1-800-KEATING for assistance.

STANDARD ACCESSORIES

One Top-Side Cooking Sheet

OPTIONS:

007480 , Streaks, 1 per inch	\$60.00
017220, Streaks, 2 per inch	\$60.00

ACCESSORIES:

Drop-In Miraclean® & Teppanyaki Griddles

Drop-In Miraclean® Griddles

ALL THE SAME STANDARD MIRACLEAN FEATURES - See page 17

OPTIONS

- Streaker griddle
- 480 voltage
- High input elements (electric)
- Trough options
- Additional thermostats for gas models
- Customized models

STANDARD ACCESSORIES

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush & Keating Klenzer

Remote mount control panel cannot exceed 5". Cabinets must be reinforced to support the weight of the griddle and located under an exhaust hood for proper ventilation.









	27x31DI	36x25DI	36x31DI	42x31DI
LIST PRICE	\$8,774	\$11,301	\$11,731	\$12,758
BTU INPUT (NAT GAS)	034206 60 ,000	033661 55,000	035980 60,000	036937 90 ,000
BTU INPUT (LP GAS)	033978 60,000	034173 55,000	039456 60,000	90,000
kW INPUT @240V	7.1	8.2	10.7	14.3
208-240/3 AMPS @240V	035263 15-26-15	033996 20-20-20	033299 26-26-26	033342 39-39-26
VOLTAGE 480	036308 \$10,090	036410 \$12,996	034183 \$13,491	\$14,672
HIGH INPUT \$130 per heating element	\$9,034	\$11,691	\$12,121	\$13,278
PLATE WxD	24"x24"	33"x18"	33"x24"	39"x24"
OVERALL WIDTH	29"	38"	38"	44"
OVERALL DEPTH	31 1/2"	25 1/2"	31 1/2"	31 1/2"
CUT OPENING	26 3/4" x 29 1/4"	35 3/4" x 23 1/4"	35 3/4" x 29 1/4"	41 3/4" x 29 1/4"
FINISH OPENING	28" x 30 1/2"	37" x 24 1/2"	37" x 30 1/2"	43" x 30 1/2"
THERMOSTATS (GAS) Additional thermostats - \$768.50 each	2	2	2	2
THERMOSTATS (ELECTRIC)	2	3	3	4
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00
SHIP WEIGHT	275 lbs.	290 lbs.	345 lbs.	435 lbs.

^{*}Call 1-800-KEATING for kW/AMP rating - For kW rating @ 208V, multiply by .752

Teppanyaki Griddle

STANDARD FEATURES

- Electric Only
- Sizes range from 24" x 24" to 72" x 30"
- Actual heating section is 24"W x 18"D
- Two high input elements rated at 240V
- · Thermostatically controlled heating section, with one thermostat for each element

OPTIONS

- Stainless Steel Perimeter
- Front Trough
- Custom hole cut in plate
- Custom griddle style and configurations









NOTE : Customer must provide specifications and approve drawir	NOTE:	Customer	must	provide	specifications	and	approve draw	vinas
---	-------	----------	------	---------	----------------	-----	--------------	-------

MIRACLEAN® Plate	\$9.30 per square inch
Front Trough	\$779.00
Heating Section 24" x 18" (electric only)	\$3,226.00
S/S Perimeter	\$652.00
Deposit to put order into production	50%
Balance due to release shinment	

Pasta Custom Pasta System

STANDARD FEATURES

- Automatic water fill with manual override
- Patented cook cycle with dual thermostatic control
- · Starch overflow drain
- Digital solid state timers, Indicating lights
- Stainless Steel High Limit control
- Stainless Steel heat transfer tubes & elements
- · Stainless Steel thermostat and High Limit bulb
- Stainless Steel vessel and cabinet
- · Stainless Steel grid screen and drain clean-out rod
- · Low level water safety shut-off
- · Full port front drain valve
- Full or Split perforated baskets

OPTIONS

- Basket-Lifts
- · Common drain manifold
- Custom Pasta™ System batteried at no additional charge
- Drainboard
- Drop-ins on 14" only
- Faucet (Jointed Neck)
- · Individual serving baskets
- Manual Fill
- 480 Voltage
- Rinse Tank
- · Single Phase Models Available
- Water depth 7 1/2"



Casters Optional

GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Water Capacity Gallon	Overall Height	Depth	Width	Ship Weight	LIST PRICE
14 PASTA	017251	109,000	008020	109,000	5.5	46 1/2"	31 1/2"	15 3/8"	200 lbs.	\$8,247
18 PASTA	014300	135,000	039434	90,000	8.5	46 1/2"	33 1/2"	19 3/8"	235 lbs.	\$10,282
20 PASTA	018669	135,000	016111	90,000	13.5	46 1/2"	35 1/2"	21 3/8"	250 lbs.	\$11,734
24 PASTA	025786	165,000	028778	145,000	19.0	46 1/2"	39 1/2"	25 3/8"	300 lbs.	\$13,260







STANDARD ACCESSORIES

Full or split perforated baskets, grid screen, drain clean out rod and sample of Keating Klenzer

OPTIONS:

DPTIONS:	
Basket-Lift (BL)	\$2,040
Common drain manifold	
Battery of 2	\$373
Battery of 3	\$754
Drainboard S/S (12"D)* 1st pasta cooker	
(On batteries, add \$15.00 for each additional drain	nboard inch
after first pasta cooker)	
Faucet, S/S with Jointed Neck	
Flue, 36" High	
Manual Fill	NO CHARGE
Rinse Tank	
14 PASTA	
18 PASTA	
20 PASTA	
24 PASTA	
Rinse Tank Overflow Tube	
Sauce Warmer, 14 PASTA Electric	
480 Voltage 14 PASTA Electric	
480 Voltage 18 PASTA Electric	
480 Voltage 20 PASTA Electric	
480 Voltage 24 PASTA Electric	\$16,293
Water Depth, 7 1/2", Additional Charge	4
14 PASTA	
18 PASTA	
20 PASTA	
24 PASTA	•
039542 , Casters (set of 4), 4 lbs	\$292.50

ACCESSORIES.	
BASKETS	
061852, 14 Bulk Pasta (cannot be used with Basket-Lift)	
12 3/8" L x 12 3/8" W x 5 3/8" D, 4 lbs	\$523.00
061725 , 14 Split Pasta,	
11 7/8" L x 6 1/4" W x 5 3/8" D, 3 lbs	\$298.39
061854, 18 Bulk Pasta (cannot be used with Basket-Lift)	
15 3/8" L x 15 3/8" W x 5 3/8" D, 8 lbs	\$604.00
061798 , 18 Split Pasta,	
15 3/8" L x 8" W x 5 3/8" D, 4 lbs	\$352.00
061856. 20 Bulk Pasta (cannot be used with Basket-Lift)	
17 5/8" L x 18 5/8" W x 5 3/8" D, 9 lbs	\$710.00
061810 , 20 Split Pasta,	
17 5/8" L x 9 1/4" W x 5 3/8" D, 5 lbs	\$372.00
061839 , 24 Split Pasta,	
21 5/8" L x 11 1/4" W x 5 3/8" D, 7 lbs	\$530.00
S/S INDIVIDUAL SERVING HOLDER	
036605, 2" x 4" x 5"	\$113.95
061858 , 4" x 4" x 5", 2 lbs	
061837 , 4" x 4" x 7 1/2", 2 lbs.	
061786, 5" L x 6" W x 5" D with hook, 2 lbs.	
061788, 6" L x 6" W x 5" D, 2 lbs	
061834 , Round, 5 1/2" W x 7" D, 2 lbs.	
	¥2 11. 1 3
*PASTA CAROUSEL	604000
018207, 14 Full Custom Pasta Carousel (holds 9), 4 lbs	
018873, 18 & 20 Full Custom Pasta Carousel (holds 16)	
005253, Custom Pasta System Pockets, 1/2 lb.	\$16.29
STAINLESS STEEL SCREEN	
061708 , 14 Grid S/S Pasta, 1 lb	
061709 , 18 Grid S/S Pasta, 2 lbs	
034785 , 20 Grid S/S Pasta, 2 lbs	
061710 , 24 Grid S/S Pasta	\$175.00
PASTA SENSOR BRUSH	
009297 , 1/4 lbs.	\$20.99
*Price without Pockets - Pockets sold individually	

Custom Pasta System & Custom Drop-In Fryers



Individual Serving Baskets



Pasta Carousel



Keating 18" Custom Pasta shown with optional rinse tank, faucet with jointed neck and casters.

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL		Water Capacity Gallon	Overall Height	Depth	Width	Ship Weight	LIST PRICE
001846 14 PASTA 208-240/3	240V 15.5 kW 32-56-32 Amps	7	46"	31 1/2"	15 3/8"	140 lbs.	\$8,858
001847 18 PASTA 208-240/3	240V 21.4 kW 52-52-52 Amps	10.6	46"	33 1/2"	19 3/8"	215 lbs.	\$10,780
017635 20 PASTA 208-240/3	240V 21.4 kW 52-52-52 Amps	17	46"	35 1/2"	21 3/8"	235 lbs.	\$12,222
032840 24 PASTA 208-240/3	240V 28.6 kW 79-79-52 Amps	24	46"	39 1/2"	25 3/8"	285 lbs.	\$14,468

Custom Drop-In Fryers & Custom Pasta System

STANDARD FEATURES

- · Built-in Melt Cycle
- Stainless Steel vessel
- · Stainless Steel heat transfer tubes or heating elements
- Stainless Steel High Limit control
- · Stainless Steel thermostat
- Extra large Cold Zone
- Split Baskets or Full-Size Basket
- · Grid Screen
- Temperature control system ±2°F
- 100% safety pilot shut-off
- · Full port front drain valve
- Drain clean-out rod
- 208-240V three phase input on electric models

OPTIONS

- 480 Voltage is available
- Portable Filter
- · Digital Solid State Timer
- Extra large drain on 18" models
- Drain Extension

NO CHARGE OPTIONS

- Single Phase
- LP Gas



GAS UNITS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS BTU	Oil/Water Capacity	Cooking Area	Counter Top Cut Depth	Counter Top Cut Width	Ship Weight	LIST PRICE
10x11 BBDI	036479	54,000	50,000	26 lbs.	10 3/4" x 11 3/4"	20"	11 3/4"	110 lbs.	\$4,021
14 BBDI	036058	87,000	90,000	38 lbs.	14" x 14"	22 1/4"	14 3/4"	125 lbs.	\$5,523
14 PASTA DI	026817	109,000	109,000	5.5 gal	14" x 14"	26"	14 3/4"	125 lbs.	\$9,072

ELECTRIC UNITS

For kW rating @ 208V, multiply by .752

MODEL			Oil/Water Capacity	Cooking Area	Counter Top Cut Depth	Counter Top Cut Width	Ship Weight	LIST PRICE
036395 10x11 BBDI 208-240/3	240V 8.9 kW	22-22-22 Amps	30 lbs.	10 3/4" x 11 3/4"	20"	11 3/4"	110 lbs.	\$4,064
037568 14 BBDI 208-240/3	240V 15.5 kW	37-37-37 Amps	44 lbs.	14" x 14"	22 1/4"	14 3/4"	125 lbs.	\$5,675
008448 14 PASTA DI 208-240/3	240V 15.5 kW	33-56-33 Amps	7 gal.	14" x 14"	26"	14 3/4"	125 lbs.	\$9,744





Bain Marie / Hot Food Well

STANDARD FEATURES

- Compact design
- 9" deep Stainless Steel well, cabinet
- · Polished Stainless Steel backsplash and canopy
- Full port front drain valve
- · Easy draining and cleaning
- 12"x20" well opening holds standard full, double or triple sized pans
- Adjustable temperature control



For kW rating @ 208V, multiply by .752

MODEL	Voltage	kW Input @240V	AMPS @240V	Height	Width	Depth	Thermostats	Ship Weight	LIST PRICE
B1	120	1.1	9	16 5/8"	13"	30 3/8"	N/A	60 lbs.	\$1,635
B2 HI	240	1.8	9	16 5/8"	13"	30 3/8"	No Charge	60 lbs.	\$2,074





Gas Hot Plate

STANDARD FEATURES

- Two and four burner models available
- Heavy duty burners
- · Manual gas valve
- Stainless Steel Cabinet

OPTIONS

Spark ignition

The Keating Hotplate is available in gas only, with 2 or 4 burner models. Features include heavy duty burners with a manual gas valve, removable grates and drip pans, and stainless steel burners.



MODEL	NAT GAS PART NO.	LP GAS PART NO.	BTU Input	Height	Width	Depth	Spark Ignition	Ship Weight	LIST PRICE
MG2 30	032886	034037	30,000	16 5/8"	13"	30 1/2"	\$150	140 lbs.	\$1,250
MG4 30	033468		60,000	16 5/8"	26"	30 1/2"	\$300	160 lbs.	\$2,542





OPTIONS:

Spark Ignition

MG2\$	160
MG4\$	320

Acidox Powder13	24" Gas & Electric	9
Bagging and Salting Station11	34" x 24" Gas & Electric	10
Bain Marie	Griddles, MIRACLEAN®	17
Baskets	Accessories	17
Fryer	Drop-In	23
Pasta24	Standard Gas	18, 19
Basket Rack - Portable11	Standard Electric	20, 21
Belly Bars18, 19, 20, 21	Standard Features/Options	17, 19, 21
Cancellation Charge	Teppanyaki	23
Caster Placement Battery Splitting 4	Top-Side™ Cooker	22
Cleaning Supplies15	Griddle Stands	18, 19, 20, 21
Computer	Hot Plate	26
Cooking Sheets	Keep Krisp® Accessories	15
Counter Hot Food Warmers14, 15, 26	Keep Krisps®	14, 15
Counter Model Fryers	Klenzer (Keating)	15
Covers - Flush	Custom Pasta™ System	24
Custom Line-Up	Accessories	24
Cutting Boards - Griddle18, 19, 20, 21	Drop-In	25
Delivery Time	Faucet	24
Drop-In Equipment	Rinse Tank	24
Filter Aid (Acidox) Filter Powder	Sauce Warmer	24
Filters	Plate Shelves	19, 21
Central (Safe & Easy®) 12	Preparation and Service Area	11
Portable 13	Pricing Terms	29
Under Fryer (Safe & Easy®)	Quick Ship	i
Filter Paper and Supplies	Returns	29
Food Warmers 14, 15	Restocking Charge	29
Freight Class	Sales Policies	29
Fryer Grid Screens	Sales Representatives	28
Fryers, Instant Recovery® 2	Salting and Bagging Station	11
Accessories	Screens - Fryers	3, 5, 6, 7, 8, 9, 10
Counter Model 3	Screens - Keep Krisp®	15
Drop-In25	Sea Powder	15
Models (AA, BB, TS)	Shipping Information	29
10"x11" Gas & Electric 5	Terms and Conditions	29
14" Gas & Electric 6	Top-Side [™] Cooker	22
18" Gas & Electric 7		
20" Gas & Electric 8		

Sales Representatives

To find a representative near you outside the US and Canada, call Keating of Chicago at + 1 (708) 246-3000 or visit us online at www.keatingofchicago.com

UNITED STATES

KEATING OF CHICAGO, INC. WASHINGTON, OREGON, ALASKA, IDAHO, MONTANA (Northwest) **CALL 1-800-KEATING**

RESTAURANT EQUIPMENT PRO., INC. CALIFORNIA (Northern), NEVADA (Northern) (510) 785-5566 Hayward, CA

KEATING OF CHICAGO, INC. CALIFORNIA (Southern/L.A.), NEVADA (Las Vegas) CALL 1-800-KEATING

KEATING OF CHICAGO, INC. ARIZONA, COLORADO, MONTANA (East) TEXAS (El Paso), NEW MEXICO, and WYOMING **CALL 1-800-KEATING**

HOLLANDER COMPANY MINNESOTA, NORTH DAKOTA, SOUTH DAKOTA, WISCONSIN (Western) (952) 829-5500 Edina, MN

SELECT MARKETING & DISTRIBUTING IOWA, NEBRASKA, MISSOURI, KANSAS, ILLINOIS (Southern) (314) 961-3332 St. Louis, MO (816) 474-4100 N. Kansas City, MO

BILL DICKIE ENTERPRISES TEXAS, OKLAHOMA (972) 235-9946 Allen, TX (281) 507-7859 Kingwood, TX

FOOD TECH GROUP, INC. MICHIGAN (Lower) (248) 478-2240 Plymouth, MI

10 PAUL WOJCIK & ASSOCIATES, INC. WISCONSIN (East), MICHIGAN (Upper) (708) 579-5567

11 KEATING OF CHICAGO, INC. ILLINOIS (Northern), HAWAII, UTAH PUERTO RICO & ONTARIO CANADA **CALL 1-800-KEATING**

12 THE CORE GROUP INDIANA (800) 832-6442 Fishers, IN

13 DICK STANLEY & ASSOCIATES OHIO, KENTUCKY, PENNSYLVANIA (Western), WEST VIRGINIA, MARYLAND (Cumberland) (614) 833-0797 Pickerington, OH (440) 236-3902 Columbia Station, OH 14 STEFFAN ASSOCIATES ARKANSAS, LOUISIANA MISSISSIPPI, TENNESSEE (Western)

(901) 496-0119 Memphis, TN (985) 626-4545 Mandeville, LA

15 MASTER MARKETING SOUTH GEORGIA, ALABAMA (Montgomery), TENNESSEE (Eastern), and FLORIDA (Panhandle), NORTH and SOUTH CAROLINA (404) 872-8135 Atlanta, GA (615) 512-4875 Clifton, TN (205) 910-3056 Hoover, AL (704) 860-0092 High Shoals, NC

16 JMT REPS MASSACHUSETTS, CONNECTICUT, MAINE, NEW HAMPSHIRE,

RHODE ISLAND, VERMONT (855) 568-7377 Acton, MA

17 TD MARKETING NEW YORK (Metro), CONNECTICUT

(Southwest), NEW JERSEY (Northern) (732) 339-3266 Edison, NJ

18 TD MARKETING NORTH NEW YORK (Western, Rochester, Buffalo, Syracuse, Binghamton) (315) 447-0979 Janesville, NY

19 RJR MARKETING MARYLAND, VIRGINIA, DELAWARE (Southern), and WASHINGTON D.C. (301) 236-0398 Silver Springs, MD

20 STARLIPER & ASSOCIATES PENNSYLVANIA (Eastern), DELAWARE (Northern), NEW JERSEY (Southern) (610) 363-5688 Phoenixville, PA

21 FLORIDA AGENTS (727) 572-5200 St. Petersburg, FL

CANADA

22 TOP LINE MARKETING BRITISH COLUMBIA, ALBERTA (604) 377-9101 Vancouver, BC

23 KEATING OF CHICAGO, INC. MANITOBA, SASKATCHEWAN **CALL 1-800-KEATING**

24 HAMILTON AGENCIES QUEBEC, NEW FOUNDLAND, NEW BRUNSWICK, PRINCE EDWARD ISLAND, NOVA SCOTIA, NUNAVUT, NORTHWEST TERRITORY, YUKON (514) 639-4433 Lachine, QC



Sales Policies & Information

Only written purchase orders will be accepted. Telephone orders must be confirmed in writing. All purchase orders must contain the following information:

- Dealer name with complete billing address and telephone number
- Purchase order number
- · Ship to address and telephone number
- Mark for customer information
- · Model number, description and price
- · Requested ship date and carrier

PLEASE NOTE:

- This equipment must be professionally installed and started to begin the one year warranty period.
- Equipment may not be sold for household use; warranties and liability will be considered void.
- Compliance with local codes is the responsibility of purchaser and installer.
- Purchase orders must specify if equipment will be used in mobile applications.
- · All orders accepted subject to government regulations and conditions beyond manufacturer's control.
- Custom orders require customer approval of Keating drawings.
- As Keating is constantly involved in improving our equipment, specifications and prices may be changed without notice.
- Please note that unless listed otherwise, options are available at an additional charge.



Terms

PRICES EFFECTIVE APRIL 1, 2021 TO JULY 31, 2021

- · Prices are in US Dollars.
- Prices subject to change without notice.
- Terms: Net 30 days with approved credit.
- Special orders and Teppanyaki griddle orders, 50% deposit and customer approval of Keating drawing are required prior to release for production. Invoice must be paid in full prior to shipment.
- Price applies to all goods ordered for immediate shipment. Call for price quotation on future deliveries.
- Individual accessories which are omitted from equipment orders are deducted at 60% of the list price of the accessory. The list price of an accessory includes the cost of handling, packaging, etc. as individual orders — this is the reason for the differential deduction.

PRICES F.O.B. FACTORY

DELIVERY TIME

- In-stock orders will be shipped immediately. Allow 2-4 weeks for out-of-stock orders.
- Schedule dates will be acknowledged by the factory.

FREIGHT

- · Shipped Class 85. NOTE: Ship weights are for single units without optional accessories. Actual weights will vary depending on customizing and accessories. In addition, shipping charges are subject to weight minimums by the carrier.
- All shipments via common carrier will ship collect or 3rd Party. No pre-pay and add. No free freight.
- · Contact your carrier for freight quotations.



Returns & Cancellations

- · All returns must have a Return Merchandise Authorization number in order to be processed.
- No returns will be accepted without a Return Merchandise Authorization. Contact our Customer Service department at 1-800-KEATING for a Return Merchandise Authorization number and shipping instructions.
- Return Merchandise Authorization numbers are valid for 30 days.
- Unless an item is defective, all returns must be shipped prepaid within 30 days from date of the Return Merchandise Authorization number, in new, unused condition and are subject to inspection for damage or misuse prior to issuance of a credit or refund.
- Returns that are not the result of manufacturer error may be subject to a 20% restocking charge to be determined at the time of return.
- Returned items must be new in original crate.
- Shipped drop-in equipment and Teppanyaki griddles are **not** returnable.
- Custom manufactured, special orders and used items are **not** returnable.
- · Custom equipment is not cancellable.
- Absolutely no returns of equipment more than 1 year after original shipment.
- · Unauthorized returns will not be credited. Replacement items will be charged to you if defective item is not returned.



Lost or Damaged Freight

• The carrier who delivers merchandise to your door is responsible for loss and damages. Acceptance of the shipment by the transportation company is acknowledgement that the articles delivered (or picked up) by them were in good condition and properly packed.

VERY IMPORTANT: Before signing the delivery receipt, inspect for any shortage or damage and note the nature and extent of the shortage or damage on the freight bill. If concealed damage or noted damage has occurred, save the shipping cartons and packaging. You must request an inspection by the carrier immediately and file a claim after inspection to rectify damages to your product. You may confirm claim damages by certified mail with return receipt requested within 15 days.

Please do not return damaged items as they cannot be accepted without a Merchandise Return Authorization Tag.



Need a Quote? Looking for Equipment Specs?

Visit the Keating website to find your area sales representative, equipment specification sheets, product information, equipment manuals, literature and more: keatingofchicago.com



Many of our most popular items are currently in stock and ready for immediate shipment. We are always ready to build a unit to fit your unique requirements. All of our products are proudly designed and built in the USA.



8901 West 50th Street, McCook, IL 60525 USA



Keating is a contractor on gsaadvantage.gov

Keating equipment is ETL and NSF Approved where applicable.





Revit and AutoCAD


Keating equipment symbol libraries and specs are available in Revit and CAD from:

Kochman Consultants Ltd. (KCL) at: **kclcad.com** AutoQuotes at: **aq-fes.com**

REVIT

Benefits of using Revit:

- 3-dimensional drawings offer more collaboration between designer and operator
- easier to view the project and create a more functional space
- ability to correct issues or problems early-on in the design phase
- accurate cost information



AUTOCAD

- Draw to scale
- easier to make changes and reduce risk of error
- · identify design problems

